

TREE WARDEN REPORT

Details	Comments
Application No:	22/0269 TPO 69/00
Location:	
Description of Proposed Tree Work(s) :	Crown reduction 7.5 metres Remove part of middle section to reduce size of tree.
Date of Site Visit:	23/11/2022
Access Allowed/ Not Allowed/ Not Required:	Yes
Observations: ie leaning, crown density, main stem, ivy, deadwood, broken branches, hazardous Species: Approximate Height: Approximate Diameter: Condition: ie fungal infection, cavities dieback, bark, stem or root damage, dead	Small – medium tree. Slight lean (not recent) No deadwood ,not hazardous. Holm Oak Approx 10-15 metres Healthy specimen. No disease.
Recommendation:	The application has been made by the resident. However, I have advised him to consult a qualified tree surgeon, as I feel the amount of reduction requested would compromise the health of the tree. A tree surgeon could advise on how much to prune back without causing any shock to the tree. The resident mentioned he would like the tree to be felled, but I explained to him this was not an option.

	<p>5/03/2023</p> <p>Re: Planning Application 22/03481 TPO / 6900</p> <p>Following my report above the resident has consulted a qualified tree surgeon as I suggested. The tree surgeon has advised that the crown be reduced by 7.5 metres which will not impact the health of the tree. However, he has also advised that it would be unwise to remove part of the middle section of the crown at the same time and that this additional work be completed in a minimum of 2 years to allow the tree time to recover.</p> <p>However, the recent application, 22/03481/TPO 6900 , has included removal of part of the middle section.</p> <p>I would recommend that any work to the tree is carried out as advised by the tree surgeon and therefore the present application above needs to be amended to include this advice.</p>
<p>Lesley Moxhay Tree Warden for Hatfield Peverel Parish Council</p>	